

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	0	((QoS SLA service priority) near4 (router)) and (map\$5 near4 socket)and (RMI (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:35
L16	16	((QoS SLA service priority) near4 (router)) and (map\$5 near4 socket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:35
S51	4	((QoS SLA servcie priority) near4 (router)) and (map\$5 near4 socket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:32
L15	4	(Qos (quality near4 service) (flow near4 classif\$7)) and (RMI (remote adj method adj invocation)) and (map\$7 near5 socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:25
L12	771	(Qos (quality near4 service) (flow near4 classif\$7)) and (RMI (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:25
L14	111	(Qos (quality near4 service) (flow near4 classif\$7)) same (RMI (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:19
L13	131	((diffserv) (differentiated near3 servic\$5)) same (Qos (quality near4 service) (flow near4 classif\$7)) and 370/231,235.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:18

EAST Search History

L8	1	((diffserv) (differentiated near3 servic\$5)) same (Qos (quality near4 service) (flow near4 callsif\$7)) and 370/231,235.ccls. and (RMI RPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:15
S2	1	"719"/\$.ccls. and (RMI (remote adj method adj invocation)) same (service near3 class) same (servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:13
L1	231	((diffserv) (differentiated near3 servic\$5)) and 370/231,235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:08
S56	0	(map\$5 socket\$5) same router same (priority QOS SLA (service adj3 level)) and (remote near4 method near4 invocation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S55	0	(map\$5 socket\$5) same router same (priority QOS SLA (service adj3 level)) same (remote near4 method near4 invocation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S54	415	(map\$5 socket\$5) same router same (priority QOS SLA (service adj3 level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S53	10	"719"/\$.ccls. and(remote adj5 method adj5 invocation) and router same (priority QOS SLA (service adj3 level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:04

EAST Search History

S49	6992	"719"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:55
S52	73	(remote adj5 method adj5 invocation) and router same (priority QOS SLA (service adj3 level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:53
S47	98	(map\$5) and((RMI) (remote adj5 method)) and router same (priority QOS SLA (servcie adj3 level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:53
S50	0	(diffserv) and ((QoS SLA servcie priority) near4 (router)) and (map\$5 near4 socket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:51
S19	0	((diffserv) (differentiated near3 service)) same (classify\$6) and (socket near3 (factory bank container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:50
S48	116	yogeshwar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:49
S44	0	(associat\$5 map\$5) same socket same ((RMI) (remote adj5 method)) same router same (priority QOS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:46

EAST Search History

S46	2	"6408342".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:41
S43	74	(associat\$5 map\$5) same socket same ((RMI) (remote adj5 method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:32
S45	1	(associat\$5 map\$5) same socket same ((RMI) (remote adj5 method)) same (priority QOS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:25
S42	6	classify\$5 near5 flow and ((RMI) (remote adj5 method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:20
S41	31	classify\$5 same ((RMI) (remote adj5 method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:15
S40	8	classify\$5 same ((RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:09
S39	0	classify\$5 near6 ((RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:06

EAST Search History

S34	1	((diffserv) (differentiated near3 servic\$5)) near5 (disbal\$6 enabl\$6) near5 (router) same (RPC (remote adj procedure adj call) (RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:05
S38	1	09/736692	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:04
S37	1	((diffserv) (differentiated near3 servic\$5)) near5 (disbal\$6 enabl\$6) near5 (router) and (RPC (remote adj procedure adj call) (RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:04
S36	1	((diffserv) (differentiated near3 servic\$5)) near5 (disbal\$6 enabl\$6) near5 (router) and ((RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:47
S35	29	((diffserv) (differentiated near3 servic\$5)) near5 (disbal\$6 enabl\$6) near5 (router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:47
S33	1	((diffserv) (differentiated near3 servic\$5)) near5 (disbal\$6 enabl\$6) near5 (router) same (RPC (remote adj procedure adj call) (RMI) (remote adj method adj invocation\$8))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:56
S32	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:46

EAST Search History

S7	2	"6341127".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:46
S31	0	((diffserv) (differentiated near3 servic\$5)) near5 (router) same (RPC (remote adj procedure adj call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:21
S29	2	((diffserv) (differentiated near3 servic\$5)) near5 (router) and (RMI (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:21
S30	52	((diffserv) (differentiated near3 servic\$5)) near5 (edge adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:15
S28	276	((diffserv) (differentiated near3 servic\$5)) near5 (router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:15
S20	0	((diffserv) (differentiated near3 service)) and (socket near3 (factory bank container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:09
S27	0	(classify\$5) near5 (RMI (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:08
S26	0	(classify\$5) near5 (RMI (remote adj method adj invocation)) and(router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:08

EAST Search History

S25	0	(classify\$5) near5 (RMI (remote adj method adj invocation)) same (router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:07
S9	0	(initiat\$5 detect\$5) near5 (RMI (remote adj method adj invocation)) and (service near3 class) same (((back side) near4 channel) servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:06
S24	12	("5396630" "5428792" "5497463" "5659753" "5692193" "5737607" "5787251" "5805885" "5815415" "5822585" "5838970" "5857102"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 08:55
S23	14	((diffserv) (differentiated near3 service)) same (classify\$6) and (((back side) near4 channel) servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:43
S22	0	((diffserv) (differentiated near3 service)) same (classify\$6) same (((back side) near4 channel) servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:41
S21	187	((diffserv) (differentiated near3 service)) same (classify\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:40
S18	0	(RMI (remote adj method adj invocation)) and ((diffserv) (differentiated near3 service)) same (classify\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:39
S17	13	(RMI (remote adj method adj invocation)) and (socket near3 (factory bank container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:39

EAST Search History

S13	12	(RMI (remote adj method adj invocation)) and (socket near3 (factory banl container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:36
S16	8	("20020078208" "5754830" "5758084" "5931913" "6073177" "6199111" "6308238" "6484206"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 08:33
S15	0	(initiat\$5 detect\$5) near5 (RMI (remote adj method adj invocation)) and (socket near3 (factory bank container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:18
S14	13	(RMI (remote adj method adj invocation)) and (socket near3 (factory bank container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:18
S11	0	(initiat\$5 detect\$5) near5 (RMI (remote adj method adj invocation)) same (socket near3 (factory banl container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:18
S10	10	(initiat\$5 detect\$5) near5 (RMI (remote adj method adj invocation)) same (((back side) near4 channel) servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:17
S8	3	"709"/\$.ccls. and (RMI (remote adj method adj invocation)) and (service near3 class) same (((back side) near4 channel) servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:15
S1	2	"709"/\$.ccls. and (RMI (remote adj method adj invocation)) same (service near3 class) same (servlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:08

EAST Search History

S6	2	"6282581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:06
S5	0	"9282581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:05
S4	14	(servlet) near3 channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:27
S3	0	(servlet) adj channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:27